

Vlastouwen



artikel	Ø mm	ca. kg/100m	Dan
Trossen	6	2,7	285
van	8	4,7	450
220m	10	7,4	700
tot 30mm	12	11,1	1080
ook	14	14,1	1375
leverbaar	16	18,5	1825
op trossen	18	23,0	2250
van	20	28,5	2780
100m	22	34,5	3240
	24	41,0	3980
	26	48,5	4600
Leverbaar	28	56,0	5410
tot Ø 100mm	30	64,0	6180
	32	73,5	7090
	36	93,0	8560
	40	1.150,0	9980

Vlastouwen



artikel	Ø mm	ca. kg/100m
Trossen	6	2,7
van	8	4,7
220m	10	7,4
tot 30mm	12	11,1
ook	14	14,1
leverbaar	16	18,5
op trossen	18	23,0
van	20	28,5
100m	22	34,5
	24	41,0
	26	48,5
	28	56,0
Leverbaar	30	64,0
tot Ø 100mm	32	73,5
	36	93,0
	40	115,0

Sisaltouw



artikel	Ø mm	ca. kg/100m	Dan
natur, wit, geschoren, olievrij,	4	1,5	130
Trossen	6	2,9	255
leverbaar	8	5,4	473
4 mm, 3-draads	10	6,1	560
Trossen à 1500 m	12	9,5	842
	14	12,6	1130
6 mm, 3-draads	16	17,1	1600
Trossen 1500m,450m,220m	18	19,8	1890
8 mm, 4-draads	20	24,8	2510
Trossen à 500 m, 220 m	22	29,7	3010
	24	36	3590
10-40 mm, 4-draads	26	42,3	4180
Trossen à 220 m	28	47,7	4700
	30	56,3	5380
Leverbaar	32	63	6060
tot Ø 100mm	36	80,1	7680
	40	99	9270



Manilatouw Grade 1

artikel	Ø mm	ca. kg/100m	Dan
3-draads, trossen à 220m	6	2,9	280
	8	5,4	534
	10	6,8	691
	12	10,5	1050
	14	14,0	1430
	16	19,0	1990
	18	22,0	2400
	20	27,5	3190
	22	33,0	3590
	24	40,0	4480
	26	470,0	5230
	28	53,0	5980
	30	62,5	6730
	32	70,0	7720
	36	98,0	9460
	40	110,0	11800

Leverbaar
tot Ø 100mm

Polypropylentouw




artikel	Ø mm	ca kf/100m	daN
3-draads, Trossen à 220 m leverbaar in zwart, oranje, wit en blauw	4	0,8	275
	6	1,7	590
	8	3	1040
	10	4,5	1530
	12	6,5	2170
	14	9	2990
	16	11,5	3700
	18	14,8	4720
	20	18	5690
	22	22	6820
	24	26	7970
	26	30,5	9220
	28	35,5	10500
	30	40,5	12000
	32	46	13200
	36	58,5	16600
40	72	20100	
44	88	24100	
48	104	28000	

Polypropylentouw



artikel	Ø mm	ca kf/100m	daN
8-draads gevlochten, beide zijden met oog 40-96 mm Ø	40	72,0	20100
	44	88,0	24100
	48	104,0	28000
	52	122,0	32400
	56	142,0	37100
	60	163,0	42400
	64	185,0	48000
	72	234,0	60300
	80	290,0	74100
	88	351,0	88900
	96	417,0	105000



Perlon

3-draads wit
Trossen à 220 m

Ø mm	ca kf/100m	daN
6	2,3	735
8	4,0	1320
10	6,2	2040
12	8,9	2940
14	12,2	4020
16	15,8	5200
18	20,0	6570
20	24,5	8140
22	30,0	9800
24	35,5	11800
26	42,0	13700
28	48,5	15500
30	55,5	17400
32	63,0	19600
36	80,0	24400
40	99,0	29400



Polyfaser, PP-Tex

3- bzw. 4-draads,
wit
Trossen à 220 m

Ø mm	ca kf/100m	daN
6	1,60	355
8	2,80	480
10	4,30	830
12	6,30	1230
14	8,10	1560
16	10,40	2000
18	13,00	2480
20	16,00	3050
22	19,00	3650
24	23,00	4300
26	27,00	4950
28	31,00	5700
30	35,00	6400
32	40,00	7400
36	51,00	9300
40	63,00	11500



Polyâthylen

3- bzw. 4-draads,
Trossen à 220 m,
oranje, geelgroen

Ø mm	ca kf/100m	daN
4	0,81	196
6	1,82	392
8	3,27	686
10	4,90	1070
12	7,20	1510
14	9,50	2050
16	12,80	2750
18	16,10	3400
20	20,00	4190
22	24,30	4980
24	29,50	5980
26	32,80	6800
28	39,30	8050
30	4.600	9300



Polysteel

3- bzw. 4-draads
Trossen à 220 m,
geelgroen

Ø mm	ca kf/100m	daN
6	1,70	755
8	3,00	1333
10	4,50	1994
12	6,50	2842
14	9,00	3827
16	1.150	4812
18	14,80	6179
20	18,00	7448
22	2.200	8727
24	26,00	10280
26	30,50	12074
28	35,50	13632
30	40,50	15749